



IFB ADDENDUM #1

To: All Bidders

From: Rita V. Brousseau, Chief Procurement Officer

Date: February 7, 2024

Re: IFB 2024-3 City View Towers Courtyard Improvements

This Addendum modifies and forms a part of the Bid Set documents dated January 24, 2024.

This Addendum consists of the following: Two (2) pages.

Where any items called for in the bid documents are supplemented here, the supplemental requirements shall be considered as added thereto. Where any original item is amended, voided, or superseded here, the other provisions of such items not specifically amended, voided, or superseded shall remain in effect.

THE NUMBER OF THIS ADDENDUM MUST BE ENTERED IN THE APPROPRIATE SPACE PROVIDED ON "GENERAL BID FORM."

PART I- CHANGES TO SPECIFICATIONS:

1. SECTION 26 05 00 - GENERAL ELECTRICAL

ITEM 1.02 - SCOPE

REPLACE PARTS B.1. through B.4 with:

1. Installation of light bollards.
2. Installation of tree uplights.
3. Electrical handholes.
4. All testing of equipment installed.
5. Any other item of work hereinafter specified or indicated on electrical drawings.

ADD the following Items:

ITEM 2.09 - TREE UPLIGHTS

- A. Tree uplights shall be Hadco BL9-D-W-A-S7 or approved equal.
- B. (3) Uplights per tree.
- C. Provide and install low voltage transformer for connecting landscape lights to main lighting circuit.



ITEM 2.10 - HANDHOLES

- A. Electrical handholes shall be polymer concrete, sized to fit the enclosed structures.
- B. Product: Oldcastle Polymer series or approved equal.

END OF ADDENDUM #1